

<b>MODEL</b>	<b>PT2400 ½ (FME-female)</b> <b>PT2400 ½ (SMA-male)</b>
<b>ANTENNA TYPE</b>	Semi-flexible full ½ λ whip antennas with integrated FME or SMA connectors, especially made for stationary wireless applications in W-LAN and R-LAN systems * NO GROUNDPLANE NEEDED
<b>FREQUENCY</b>	2310-2485 MHz (WLAN, RLAN i.e.)
<b>IMPEDANCE</b>	Nom. 50 Ω
<b>POLARISATION</b>	Vertical
<b>GAIN</b>	0 dBd (2.15 dBi)
<b>BANDWIDTH</b>	175 MHz
<b>VSWR</b>	< 2.0 at frequency resonance
<b>MAX. POWER</b>	5 Watt
<b>COLOUR</b>	Black
<b>LENGTH</b>	Approx. 110 mm (FME version)
<b>WEIGHT</b>	Approx. 10 g
<b>MOUNTING</b>	On transceivers, modems etc.
<b>MATERIAL</b>	PE, copper, brass and Teflon
<b>ORD.NO.</b>	14 207 (FME version) 14 207 IP (Bulk-pack)  14 205 (SMA version) 14 205 IP (Bulk-pack)

