
REV	DATE	DESCRIPTION	DRAWN
$\overline{}$			
$\overline{\mathbf{A}}$			



Electrical Characteristics			
Impedance	50 Ω		
Frequency Range	DC-6 GHz		
PīM	<-160 dBc		
Environmental Characteristics			
Operating Temperature	-55°C TO +165°C		

4	DIELECTRIC	PTFE	NONE	1		
3	PIN	BERYLLIUM	SILVER	1		
2	BODY	PHOS BRONZE	WHITE BRONZE	1		
1	BODY	BRASS	WHITE BRONZE	1		
NO	DESCRIPTION	MATERIAL	FINISH	Q'ty		

Prohibit re-circulating



, odini zirini			
NOTE		DIMENSION	
1.STRIP ALL BUR 2.ALL DIMENSION AFTER PLATING 3.DIAMETERS ON	S ARE	UNLESS OTHERWISE NOTED TOLERANCES	
CENTERS. TO BE CONCEN	TRIC	X=±0.3	
WITHIN 0.1 T.I.F	& LAST	0.X=±0.2	
5.BREAK ALL CO EDGES CO.15 N	NNERS &	$0.XX = \pm 0.1$	

1	斗技有限 Technologies		
TITLE			
4.3/1.0 FEMALE T	0 4.3/1.0	FEMALE	
DRÁWING NO.	· ·		
4310-3010-1-TSZ			
APPROVED	DRAWN DATE		
	11/06/	18	
CHECKED	SCALE		
	2:1		
DRAWN ALICE	TINUT mm	SN	

^{*}All creative content and details belonging to HYT's confidential, and the owner, without consent, Do not posted, theft, copied and sent to a third party.*